

## **Mental Health Treatment That Works**

Orthomolecular Medicine News Service, October 7, 2005

(OMNS) Doctors report that mental health problems including depression, bipolar disorder, schizophrenia, ADHD, anti-social and learning disorders, and obsessive-compulsive disorders often have a common cause: insufficient nutrients in the brain. Nutritionally-oriented physicians assert that the cure for these problems is to give the body the extra nutrients it needs, especially when under abnormal stress.

Orthomolecular medical researchers say the future of psychiatry is in nutrition because nutrition has such a long, safe and effective history of correcting many mental problems. Nutrients such as the B-vitamins are most successful when taken regularly, taken in relatively high doses, and taken in conjunction with vitamin C, the essential fatty acids (EFA's), and the minerals magnesium and selenium.

A summary of what has worked for many people follows below. The safety of vitamins and minerals is extraordinary, and the expense of trying them is much less than the cost of hazardous pharmaceutical drugs. These nutrients can be purchased in a discount or health store.

Taking 1,000 mg of vitamin B-3 three times a day often cures mild to moderate depression. Dramatic results are often achieved within one week of beginning this nutritional program, especially in alcoholics. (1)

Sometimes a simple deficiency of vitamin D causes depression. 3,000 I. U./day from all sources can alleviate the problem. (2)

3,000 mg/day or more of niacin (vitamin B-3), along with the same quantity of vitamin C, taken in divided doses throughout the day can successfully treat both schizophrenia and bipolar disorder. (3)

Vitamins B-3, B-6, C and the minerals magnesium and zinc frequently produce a good response in ADHD and autistic children. (4)

Vitamins B-6, folate, and B-12 taken together lower elevated homocysteine levels in the elderly while improving mental function. (5)

As pointed out by chemistry professor and vitamin discoverer Roger J. Williams, PhD (6), each individual has different nutritional needs and responds differently to nutrients. Are you tired of being depressed, suffering from anxiety, paying huge prescription drug bills for unsafe prescriptions that don't solve the problem or produce undesirable side effects? Are you tired of the piece-meal trial and error approach to finding a solution to your mental or emotional problems? If so, adults should consider the following nutritional protocol, which will bathe your brain and nerves in natural nutrients and may well produce dramatic results. The cost of trying the program below is less than the cost of a typical doctor's office visit. It is safe and convenient. All of these nutrients can be purchased at large discount stores.

After the morning meal take: A multivitamin tablet

1,000 mg of vitamin B-3 (as niacinamide or inositol hexanicotinate) One B-complex tablet

100 mg of vitamin B-6

1,200 mcg of vitamin B-9 (folate or folic acid)

1,000-2,000 IU of vitamin D (the lower number if you get sunshine, the higher number if you don't)

1,000 mg of vitamin C

200 mg of magnesium

50 mg of zinc

200 micrograms (mcg) of selenium

30 grams of soy protein powder and one tablespoon of lecithin granules mixed into a small glass of juice or milk A supplement of omega-3 fatty acids [eicosapentaenoic acid (EPA), docosahexanoic acid (DHA) and alpha-linolenic acid (ALA)]

After the midday meal:

1,000 mg of vitamin B-3

1,200 mcg of vitamin folate

100 mg of vitamin B-6 One B-complex tablet

1,000 mg of vitamin C

200 mg of magnesium

After the evening meal: A multivitamin tablet

1,000 mg of vitamin B-3

1,000 mg of vitamin C One B-complex tablet

100 mg of vitamin B-6

All of the above supplements are safe in the recommended amounts, as well as inexpensive and convenient. There is not even one death per year from vitamins. Pharmaceutical drugs, properly prescribed and taken as directed, kill over 100,000 Americans annually. Hospital errors kill still more.

Restoring health must be done nutritionally, not pharmacologically. All cells in all persons are made exclusively from what we drink and eat. Not one cell is made out of drugs.

The most common mistake made by people who take vitamins is they fail to take enough vitamins.

The reason one nutrient can cure so many different illnesses is because a deficiency of one nutrient can cause many different illnesses.

What is Orthomolecular Medicine?

Linus Pauling defined orthomolecular medicine as the treatment of disease by the provision of the optimum molecular environment, especially the optimum concentrations of substances normally present in the human body. Orthomolecular medicine uses safe, effective nutritional therapy to fight illness. For more information: <http://www.orthomolecular.org>

Take the Orthomolecular Quiz at <http://www.orthomolecular.org/quiz/index.shtml>

The peer-reviewed Orthomolecular Medicine News Service is a non-profit and non-commercial informational resource.

Editorial Review Board:

Abram Hoffer, M. D. Harold D. Foster, Ph. D. Bradford Weeks, M. D. Carolyn Dean, M. D. Erik Paterson, M. D. Thomas Levy, M. D., J. D.

Andrew W. Saul, contact person. email: [omns@orthomolecular.org](mailto:omns@orthomolecular.org) .

To UNSUBSCRIBE: <http://www.orthomolecular.org/unsubscribe.html> To subscribe at no charge: <http://orthomolecular.org/subscribe.html>

References for further reading:

1. Hoffer A. Vitamin B-3: Niacin and its amide.  
[http://www.doctoryourself.com/hoffer\\_niacin.html](http://www.doctoryourself.com/hoffer_niacin.html) Also: Cheraskin E, Ringsdorf WM and Brecher A. Psychodietetics. Bantam Books, 1974.
2. Vieth R, Kimball S, Hu A, Walfish PG. Randomized comparison of the effects of the vitamin D3 adequate intake versus 100 mcg (4000 IU) per day on biochemical responses and the wellbeing of patients. Nutr J. 2004 Jul 19;3:8.
3. Hoffer A. Healing schizophrenia: Complementary vitamin & drug treatments. Toronto: CCNM Press, 2004. Also: Hawkins D and Pauling L. Orthomolecular psychiatry, San Francisco: Freeman, 1973. Also: Hoffer A. Niacin therapy in psychiatry, Charles C. Thomas, 1962.
4. Hoffer A. Healing children's attention and behavior disorders: Complementary nutritional & psychological treatments. Toronto: CCNM Press, 2004. Also: Hoffer A. Dr. Hoffer's ABC of natural nutrition for children. Kingston, Ontario: Quarry Press, 1999.
5. Selhub J, Jacques PF, Wilson PWF, Rush D, Rosenberg IH. Vitamin status and intake as primary determinants of homocysteinemia in an elderly population. JAMA 1993. 270:2693-2698. Also: Verhoef P, Meleady R, Daly LE, Graham IM, Robinson K, Boers GHJ, et al. Homocysteine, vitamin status and risk of vascular disease. European Heart Journal 1999. 20:1234-1244.

(6) <http://neon.cm.utexas.edu/williams/>

### **Dr Von re daughter's schizophrenia**

Dear Marta, have you read Dr. Hoffer and Osmond's book? The method is not difficult, and not difficult to understand. First you begin giving her vitamin C in gram quantities (1000 mg), and you find how much she can tolerate (its a laxative and that's not your goal); then begin giving her 100 mg of niacin (nicotinic acid) and increase in 100 mg steps until she flushes. Some folk abso cannot stand the flush and they itch terribly; if

that happens you have to switch to niacinamide - nicotinic acid turns into niacinamide immediately in the body, so the difference is minute, but you don't flush. It does appear that the acid form has a slight, slight benefit over the amide, but ????. The flush can guide the dose. Very high doses of nicotinamide (same thing as niacinamide) will often cause nausea, so there is another limiter.

Do not rush the increase of doses of nicotinic acid. My daughter's mother will flush on 20 mg, and 500 mg will swell her throat nearly shut! She has high histamine and lots of allergies - schizophrenics seem to be spared much allergy when their disease is acute.

In fact, the old psychiatric nurse rule is "hear a sneeze and a nose being blown, discharge the patient".

All the forms of B-3 (niacin, niacin amide, nicotinic acid, nicotinamide ) block the effect of acute LSD psychosis and we have significant evidence that the method is very effective with acute, early onset schizophrenia. The method is not truly effective with chronic late onset schizophrenia. The problem is that there are many schizophrenias and you must have a clean diagnosis.

My computer is goofing up, so I can't find the addresses to send you at the moment. I'll be back in a day or two.